



Safety Data Sheet

Monopole, Inc.

Product Name: AQUASEAL STAIN

Issue Date: June 2015

Monopole Inc. encourages and expects you to read and understand the entire SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

SECTION 1: Product and Company Identification

Product Name: AQUASEAL STAIN

Product Code: 7500, 8600

COMPANY IDENTIFICATION

Monopole, Inc.
4661 Alger Street
Los Angeles, CA 90039
Tel: (818) 500-8585
Fax: (818) 502-0818

EMERGENCY TELEPHONE NUMBERS:
Health emergency : (818) 500 - 8585
Poison center..... : (800) 222 -1222
Chemtrec..... : (800) 424 - 9300

SECTION 2: Hazard Identification

Hazard Classification

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Other Hazards

no data available

SECTION 3: Composition/Information on Ingredients

Hazardous Components	% (by weight)	CAS#	Classification
Acrylic polymer(s)	25-35%	Not Hazardous	
Propylene Glycol	1%	57-55-6	Serious eye damage/eye irritation Category 2A
Water		7732-18-5	

SECTION 4: First Aid Measures

Inhalation: Move to fresh air. If victim is not breathing, give artificial respiration. If victim's breathing is difficult, give oxygen. Call a physician.

Skin Contact: Wash skin with soap and water. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.

Eye Contact: Flush eyes thoroughly with water for 15-20 minutes while holding eyelids apart. If eye irritation persists, consult a specialist.

Ingestion: Do not induce vomiting. Immediately give victim 2 glasses of water. Never give anything to an unconscious person. Call a physician.

SECTION 5: Fire Fighting Measures

Flash Point: Non-Flammable, Non-Combustible

Thermal Decomposition: Thermal decomposition may yield acrylic monomers.

Extinguishing Media: This product is non-flammable in the liquid state. Use water spray, foam, dry chemical or alcohol-resistant foam.

Fire Fighting Instructions: Wear self-contained breathing apparatus and full protective equipment.

SECTION 6: Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Soak up with sawdust, sand, oil dry or other absorbent material. Transfer liquids and solid diking material to separate suitable containers for recovery or disposal. Prevent material from entering sewers, waterways, or low areas.

Personal Precautions: Use appropriate Personal Protective Equipment during clean-up. Keep people away from and upwind of spill/leak. Material can create slippery conditions.

SECTION 7: Handling and Storage

Handeling: Avoid breathing vapors or mist. Avoid contact with eyes, skin, or clothing. Wash thoroughly after handling. Wash clothing after use. Do not store or consume food, drink, or tobacco in areas where they may become contaminated with this material. Do not breathe vapors, mist or gas.

Storage: Store temperatures: 34°F - 100°F. Keep from freezing – product stability may be affected. Stir well before use. Keep container tightly closed.

SECTION 8: Exposure Controls and Personal Protection

Engineering Controls: Use only with adequate ventilation.

Personal Protection – Routine Handeling

Eye/Face Protection: Wear safety glasses with side-shields as a minimum.

Hand Protection: The glove(s) listed below may provide protection against permeation. (Gloves of other chemically resistant materials may not provide adequate protection): Neoprene gloves.

Respirator Protection: Wear appropriate NIOSH approved respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that the limits are within recommended exposure guidelines.

Protective Clothing / Skin Contact: Where there is potential for skin contact have available and wear as appropriate impervious gloves and apron. Wash at mealtime and end of shift. If skin contact occurs, change contaminated clothing and flush affected areas with cool water.

SECTION 9: Physical and Chemical Properties

Appearance and Odor: Milky liquid, Slight Odor

pH: 8.17-8.54

Boiling Point: 212°F Water

Solubility in Water: Dilutable

% Volatiles: 60% Water

VOC: 44 g/L

7500 Semi-Transparent Specific Gravity: 1.008 g/cm³

8600 Opaque Specific Gravity: 1.056 g/cm³

7500 Semi-Transparent Viscosity: 55 – 60 kus

8600 Opaque Specific Viscosity: 60 - 65 kus

SECTION 10: Stability and Reactivity

Chemical Stability: Stable.

Materials to Avoid (Incompatibility): There are no known materials which are incompatible with this product.

Conditions to Avoid: Freezing temperatures and excessive heat.

Hazardous Polymerization: Will not occur.

Hazardous Decomposition Products: Thermal decomposition may yield acrylic monomers.

SECTION 11: Toxicological Information

No known applicable information.

SECTION 12: Ecological Information

No known applicable information.

SECTION 13: Disposal Considerations

Environmental Precautions: CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

Waste Disposal Method: Dispose of in accordance with Local, State, and Federal Regulations. Regulations may vary in different locations. DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

MONOPOLE, INC. HAS NO CONTROL OVER THE MANAGEMENT PRACTICES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN SDS SECTION 3: HAZARDOUS INGREDIENTS.

SECTION 14: Transportation Information

DOT PROPER SHIPPING NAME: Not regulated.

IATA PROPER SHIPPING NAME: Not Regulated.

IMO PROPER SHIPPING NAME: Not regulated (Not dangerous for transport).

Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations.

SECTION 15: Regulatory Information

STATE REGULATIONS: CALIFORNIA - None.

CALIFORNIA PROPOSITION 65 (Safe Drinking Water and Toxic Enforcement Act of 1986): There are no chemical present known to the state of California to cause cancer or reproductive toxicity.

US FEDERAL REGULATIONS

TOXIC SUBSTANCE CONTROL ACT: All chemicals comprising this product are listed on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

TITLE III HAZARD CLASSIFICATIONS SECTIONS 311, 312

Acute	: Yes
Chronic	: No
Fire	: No
Reactivity	: No
Pressure	: No

WORKPLACE CLASSIFICATION: This product is considered non-hazardous under the OSHA Hazard Communication Standard (29CFR1910.1200). This product is not a 'controlled product' under the Canadian Workplace Hazardous Materials Information System (WHMIS).

HAZARD RATING SYSTEM

NFPA,	Toxicity	Flammability	Reactivity	Health
NPCA-HMIS	0	0	0	1

SECTION 16: Other Information

USER'S RESPONSIBILITY: A bulletin such as this cannot be expected to cover all possible individual situations. As the user has the responsibility to provide a safe workplace, all aspects of an individual operation should be examined to determine if, or where, precautions, in addition to those described herein, are required. Any health hazard and safety information herein should be passed on to your customers or employees, as the case may be.

DISCLAIMER: To the best of our knowledge, the information contained herein is accurate, but no representation, guarantee or warranty, expressed or implied, is made as to the accuracy, reliability or completeness of the information. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Monopole Inc. urges persons receiving this information to make their own determination as to the information's suitability and completeness for their particular application. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.